Index

IEE Proceedings
Communications
Vol. 141, 1994

Author index

A

Abbas, M., and Ahmad, Z.A. Performance analysis of an ATM statistical multiplexer with batch arrivals p190
Acha, V., and Carrasco, R.A. Trellis coded Q^2PSK signals. Part 1: AWGN and nonlinear satellite channels p151
Acha, V., and Carrasco, R.A. Trellis coded Q^2PSK signals. Part 2: Land mobile satellite fading channels p159
Adachi, F. MLSE differential phase detection for M-ary DPSK p407
Ahmad, Z.A., and Abbas, M. see Abbas, M.
Al Jabri, A.Kh., Al-Thukair, F., and Mirza, A. Private-key encryption based on concatenation of codes p105
Al-Thukair, F., Al Jabri, A.Kh., and Mirza, A. see Al Jabri, A.Kh.
Albuquerque, A.A., and Correia, A.M.C. see Correia, A.M.C.
Ali, A.A. Optimum modulation and diversity for DS–SS communication over Rayleigh fading channels subject to pulse burst interference p237
Ali, F., and Honary, B. Collaborative coding and decoding techniques for multiple access channel p56
Alonso, E., Marić, S.V., and Metivier, G. see Marić, S.V.
Awdeh, R.Y., and Mouftah, H.T. Design and performance analysis of input–output buffering delta-based ATM switch with backpressure mechanism p255
Aygölü, U., and Panayırcı, E. Multilevel ternary line codes with trellis structure p7

B

Baldini F, R., and Farrell, P.G. Coded modulation based on rings of integers modulo-q. Part 1: Block codes p129
Baldini F, R., and Farrell, P.G. Coded modulation based on rings of integers modulo-q. Part 2: Convolutional codes p137
Benelli, G., Fioravanti, A., Garzelli, A., and Matteini, P. Some digital receivers for the GSM pan-European cellular communication system p168
Bissonauth, A., and Kamal, A.E. see Kamal, A.E.

C

Carrasco, R.A., and Acha, V. see Acha, V.
Chandler, S.A.G., and Ni, J. see Ni, J.
Chang, Y., and Wang, X. Hybrid threshold soft decision decoding algorithm p126
Chen, X., Reed, I.S., Yin, X., and Truong, T.K. New shortened subcodes of binary extended QR codes p2
Chow, Y.C., McGeehan, J.P., and Nix, A.R. Simplified error bound analysis for M-DPSK in fading channels with diversity reception p341
Chung, C.-D. Generalised likelihood-ratio detection of multiple-hop frequency-hopping signals p70
Chung, C.-D. Performance analysis of a slow FH/MFSK acquisition scheme in random partial-band noise jamming p396
Correia, A.M.C., and Albuquerque, A.A. Frequency hopped spread spectrum multiple access over cellular dispersive fading channels p79
Cosmas, J., Crespo, P., and Mann Pelz, R. see Crespo, P.
Crespo, P., Mann Pelz, R., and Cosmas, J. Channel error profiles for DECT p413
Cryan, R.A., and Elmirghani, J.M.H. see Elmirghani, J.M.H.
Cuperman, V., Wu, J., and Ho, P. see Wu, J.

D

Dodds, D.E., Ghaderi, M., and Kumar, S. see Ghaderi, M.
Dong, L., Kaye, A.R., and Mahmoud, S.A. Transmission of compressed voice over integrated services frame relay networks: priority service and adaptive buildout delay p265
Dubey, V.K., and Taylor, D.P. Further results on receivers for the nonlinear channel including pre- and post-nonlinearity filtering p334

E

Elmirghani, J.M.H., and Cryan, R.A. Analytic and numeric modelling of optical fibre PPM slot and frame spectral properties with application to timing extraction p379

F

Fantacci, R. Discrete queueing analysis of a star network p275
Farrell, P.G., and Baldini F, R. see Baldini F, R.
Fioravanti, A., Benelli, G., Garzelli, A., and Matteini, P. see Benelli, G.

G

Garzelli, A., Benelli, G., Fioravanti, A., and Matteini, P. see Benelli, G.
Ghaderi, M., Kumar, S., and Dodds, D.E. Adaptive predistortion linearisers using polynomial functions p49
Ghareeb, I., and Yongaçoğlu, A. Performance of joint frequency phase modulation over Rayleigh fading channels p241

H

Haralabidis, H.C., Kapsalis, V.D., and Koubias, S.A. see Kapsalis, V.D.
Hassanein, H.S., Wong, J.W., and Mark, J.W. Effective erasure node algorithm for slot reuse in DQDB p196
Ho, P., Wu, J., and Cuperman, V. see Wu, J.
Honary, B., and Ali, F. see Ali, F.
Honary, B., and Markarian, G. see Markarian, G.
Hsu, C.C., Reed, I.S., and Truong, T.K. Error correction capabilities of binary mapped Reed–Solomon codes with parity bits appended to all symbols p209
Huang, T.-Y., and Wu, J.-L.C. Performance analysis of ATM switches using priority schemes p248

J

Jardak, H.G., and Livingston, J.N. Concatenated codes using multilevel structures for PSK signalling over the Rayleigh fading channel p233
Jaw, J.-Y., and Yang, G.-C. see Yang, G.-C.
Jeng, L.-F, Lee, C.-Y., and Yang, W.-W. see Lee, C.-Y.
Jun, C.-H., and Suh, J.-J. see Suh, J.-J.
Jung, Y.C., Un, C.K., Ryu, S.M., and Lee, S.C. Analysis of out-of-sequence problem and preventative schemes in parallel switch architecture for high-speed ATM network p29

K

Kamal, A.E., and Bissonauth, A. Priority mechanism for the DQDB network p98
Kapsalis, V.D., Koubias, S.A., and Haralabidis, H.C. New hybrid MAC-layer protocol for real-time bus networks p325
Kaye, A.R., Dong, L., and Mahmoud, S.A. see Dong, L.
Kh Al Jabri, A, Al-Thukair, F., and Mirza, A. Private-key encryption based on concatenation of codes p105
Kim, S.M., Kim, S.W., and Lee, Y.H. see Kim, S.W.
Kim, S.W., Lee, Y.H., and Kim, S.M. Bandwidth tradeoffs among coding, processing gain and modulation in frequency-hopped multiple access communications p63
Koubias, S.A., Kapsalis, V.D., and Haralabidis, H.C. see Kapsalis, V.D.
Kuek, S.S., and Wong, W.C. Approximate analysis of a dynamic-channel-assignment scheme with handoffs p89
Kumar, S., Ghaderi, M., and Dodds, D.E. see Ghaderi, M.
Kuo, H.-C., and Wei, C.-H. Sequential decoding of convolutional codes by a compressed multiple queue algorithm p212

L

Lee, C.-Y., Yang, W.-W., and Jeng, L.-F Fast sequential decoding algorithm based on dynamic searching strategy p312
Lee, J.Y., and Un, C.K. Performance analysis of a multicast packet switch with capacity m p177
Lee, S.C., Jung, Y.C., Un, C.K., and Ryu, S.M. see Jung, Y.C.
Lee, Y.H., Kim, S.W., and Kim, S.M. see Kim, S.W.
Li, J.-J., and Weng, C.-M. B-tree: a high performance fault-tolerant ATM switch p20
Liu, X., and Mouftah, H.T. Design of a high performance nonblocking copy network for multicast ATM switching p317
Livingston, J.N., and Jardak, H.G. see Jardak, H.G.

M

Mahmoud, S.A., Dong, L., and Kaye, A.R. see Dong, L.
Mann Pelz, R., Crespo, P., and Cosmas, J. see Crespo, P.
Marić, S.V., Alonso, E., and Metivier, G. Adaptive borrowing of ordered resources for the pan-European mobile communication (GSM) system p93
Mark, J.W., Hassanein, H.S., and Wong, J.W. see Hassanein, H.S.
Markarian, G., and Honary, B. Trellis decoding technique for block RLL/ECC p297
Matteini, P., Benelli, G., Fioravanti, A., and Garzelli, A. see Benelli, G.
McGeehan, J.P., Chow, Y.C., and Nix, A.R. see Chow, Y.C.
Metivier, G., Marić, S.V., and Alonso, E. see Marić, S.V.
Mirza, A., Al Jabri, A.Kh., and Al-Thukair, F. see Al Jabri, A.Kh.
Mores, R., and Morse, M.J. Fibre-based local area network with priority access p203
Morse, M.J., and Mores, R. see Mores, R.
Mouftah, H.T., and Awdeh, R.Y. see Awdeh, R.Y.
Mouftah, H.T., and Liu, X. see Liu, X.

N

Ni, J., and Chandler, S.A.G. Connectivity properties of a random radio network p289
Nix, A.R., Chow, Y.C., and McGeehan, J.P. see Chow, Y.C.

O

O'Reilly, J.J., and Popplewell, A. see Popplewell, A.

P

Paaske, E. Alternative to NASA's concatenated coding system for the Galileo mission p229
Panayırcı, E., and Aygölü, U. see Aygölü, U.
Popplewell, A., and O'Reilly, J.J. Algorithms suitable for low complexity implementation of a class of runlength-limited error control codes p111
Popplewell, A., and O'Reilly, J.J. Soft decision decoding techniques for a class of runlength-limited error control codes p118
Povey, G.J.R. Capacity of a cellular time division duplex CDMA system p351

R

Raphaeli, D. Improvement of noncoherent orthogonal coding by time overlapping p309
Reed, I.S., Chen, X., Yin, X., and Truong, T.K. see Chen, X.
Reed, I.S., Hsu, C.C., and Truong, T.K. see Hsu, C.C.
Ryu, S.M., Jung, Y.C., Un, C.K., and Lee, S.C. see Jung, Y.C.

S

Saoud, M., and Xiong, F. see Xiong, F.
Sesay, A.B. Adaptive two-stage maximum likelihood estimation for cellular radio p39
Shin, S.K., and Sweeney, P. Soft decision decoding of Reed–Solomon codes using trellis methods p303
Suh, J.-J., and Jun, C.-H. Performance analysis of the knockout switch with input buffers p183
Sweeney, P., and Shin, S.K. see Shin, S.K.

T

Taylor, D.P., and Dubey, V.K. see Dubey, V.K.
Truong, T.K., Chen, X., Reed, I.S., and Yin, X. see Chen, X.
Truong, T.K., Hsu, C.C., and Reed, I.S. see Hsu, C.C.
Tsaur, S.-A., and Wu, K.-T. see Wu, K.-T.
Tugnait, J.K. Globally convergent adaptive blind filters and blind equalisers for mixed-phase channels p390

U

Un, C.K., Jung, Y.C., Ryu, S.M., and Lee, S.C. see Jung, Y.C.
Un, C.K., and Lee, J.Y. see Lee, J.Y.

V

Vitetta, G.M. Some new rotationally invariant TCM schemes for multidimensional M-PSK p143

W

Wang, X., and Chang, Y. see Chang, Y.
Wei, C.-H., and Kuo, H.-C. see Kuo, H.-C.
Weng, C.-M., and Li, J.-J. see Li, J.-J.
Winick, K.A., and Yang, S.-H. see Yang, S.-H.
Wong, J.W., Hassanein, H.S., and Mark, J.W. see Hassanein, H.S.
Wong, W.C., and Kuek, S.S. see Kuek, S.S.
Wu, J., Ho, P., and Cuperman, V. Performance of joint trellis-coded quantisation/modulation with a Bayes receiver p13
Wu, J.-L.C., and Huang, T.-Y. see Huang, T.-Y.
Wu, K.-T., and Tsaur, S.-A. Error performance for diversity DS-SSMA communications in fading channels p357

X

Xiong, F., and Saoud, M. Performance analysis for a convolutionally coded DPSK meteor-burst communication system p223

Y

Yang, G.-C., and Jaw, J.-Y. Performance analysis and sequence designs of synchronous code-division multiple-access systems with multimedia services p371
Yang, O.W.W. Two-centre tree topologies for metropolitan area networks p280
Yang, S.-H., and Winick, K.A. Asymptotic bounds on the size of error-correcting recording codes p365
Yang, W.-W., Lee, C.-Y., and Jeng, L.-F see Lee, C.-Y.
Yin, X., Chen, X., Reed, I.S., and Truong, T.K. see Chen, X.
Yongaçoğlu, A., and Ghareeb, I. see Ghareeb, I.

Subject index

AMPLIFIERS

Adaptive predistortion lineariser using polynomial functions. M. Ghaderi, S. Kumar and D.E. Dodds p49

CODES AND DECODING

Algorithms suitable for low complexity implementation of a class of runlength-limited error control codes. A. Popplewell and J.J. O'Reilly p111
Alternative to NASA's concatenated coding system for the Galileo mission. E. Paaske p229
Asymptotic bounds on the size of error-correcting recording codes. S.-H. Yang and K.A. Winick p365
Bandwidth tradeoffs among coding, processing gain and modulation in frequency-hopped multiple access communications. S.W. Kim, Y.H. Lee and S.M. Kim p63
Coded modulation based on rings of integers modulo-q. Part 1: Block codes. R. Baldini F and P.G. Farrell p129
Coded modulation based on rings of integers modulo-q. Part 2: Convolutional codes. R. Baldini F and P.G. Farrell p137
Collaborative coding and decoding techniques for multiple access channel. F. Ali and B. Honary p56
Concatenated codes using multilevel structures for PSK signalling over the Rayleigh fading channel. H.G. Jardak and J.N. Livingston p233
Error correction capabilities of binary mapped Reed–Solomon codes with parity bits appended to all symbols. C.C. Hsu, I.S. Reed and T.K. Truong p209
Error performance for diversity DS-SSMA communications in fading channels. K.-T. Wu and S.-A. Tsaur p357
Fast sequential decoding algorithm based on dynamic searching strategy. C.-Y. Lee, W.-W. Yang and L.-F Jeng p312
Hybrid threshold soft decision decoding algorithm. Y. Chang and X. Wang p126
Improvement of noncoherent orthogonal coding by time overlapping. D. Raphaeli p309
New shortened subcodes of binary extended QR codes. X. Chen, I.S. Reed, X. Yin and T.K. Truong p2
Private-key encryption based on concatenation of codes. A.Kh. Al Jabri, F. Al-Thukair and A. Mirza p105
Sequential decoding of convolutional codes by a compressed multiple queue algorithm. H.-C. Kuo and C.-H. Wei p212
Soft decision decoding of Reed–Solomon codes using trellis methods. S.K. Shin and P. Sweeney p303
Soft decision decoding techniques for a class of runlength-limited error control codes. A. Popplewell and J.J. O'Reilly p118
Some new rotationally invariant TCM schemes for multidimensional M-PSK. G.M. Vitetta p143
Trellis coded Q^2PSK signals. Part 1: AWGN and nonlinear satellite channels. V. Acha and R.A. Carrasco p151
Trellis coded Q^2PSK signals. Part 2: Land mobile satellite fading channels. V. Acha and R.A. Carrasco p159
Trellis decoding technique for block RLL/ECC. G. Markarian and B. Honary p297

COMMUNICATION SYSTEMS THEORY

Collaborative coding and decoding techniques for multiple access channel. F. Ali and B. Honary p56
Design and performance analysis of input–output buffering delta-based ATM switch with backpressure mechanism. R.Y. Awdeh and H.T. Mouftah p255
Discrete queueing analysis of a star network. R. Fantacci p275
Effective erasure node algorithm for slot reuse in DQDB. H.S. Hassanein, J.W. Wong and J.W. Mark p196
Fibre-based local area network with priority access. R. Mores and M.J. Morse p203
Performance analysis and sequence designs of synchronous code-division multiple-access systems with multimedia services. G.-C. Yang and J.-Y. Jaw p371
Performance analysis of ATM switches using priority schemes. T.-Y. Huang and J.-L.C. Wu p248
Performance analysis of a multicast packet switch with capacity m. J.Y. Lee and C.K. Un p177
Performance analysis of an ATM statistical multiplexer with batch arrivals. M. Abbas and Z.A. Ahmad p190
Performance of joint trellis-coded quantisation/modulation with a Bayes receiver. J. Wu, P. Ho and V. Cuperman p13
Simplified error bound analysis for M-DPSK in fading channels with diversity reception. Y.C. Chow, J.P. McGeehan and A.R. Nix p341

DETECTION

MLSE differential phase detection for M-ary DPSK. F. Adachi p407

DIGITAL COMMUNICATION SYSTEMS

Multilevel ternary line codes with trellis structure. U. Aygölü and E. Panayırcı p7
Performance analysis of ATM switches using priority schemes. T.-Y. Huang and J.-L.C. Wu p248
Performance analysis of the knockout switch with input buffers. J.-J. Suh and C.-H. Jun p183

ERRORS AND ERROR ANALYSIS

Channel error profiles for DECT. P. Crespo, R. Mann Pelz and J. Cosmas p413
Error correction capabilities of binary mapped Reed–Solomon codes with parity bits appended to all symbols. C.C. Hsu, I.S. Reed and T.K. Truong p209
Error performance for diversity DS-SSMA communications in fading channels. K.-T. Wu and S.-A. Tsaur p357
Trellis decoding technique for block RLL/ECC. G. Markarian and B. Honary p297

FILTERS AND FILTERING

Further results on receivers for the nonlinear channel including pre- and post-nonlinearity filtering. V.K. Dubey and D.P. Taylor p334
Globally convergent adaptive blind filters and blind equalisers for mixed-phase channels. J.K. Tugnait p390

MATHEMATICAL TECHNIQUES

Adaptive predistortion lineariser using polynomial functions. M. Ghaderi, S. Kumar and D.E. Dodds p49
Algorithms suitable for low complexity implementation of a class of runlength-limited error control codes. A. Popplewell and J.J. O'Reilly p111
Effective erasure node algorithm for slot reuse in DQDB. H.S. Hassanein, J.W. Wong and J.W. Mark p196
Hybrid threshold soft decision decoding algorithm. Y. Chang and X. Wang p126
Performance analysis of a slow FH/MFSK acquisition scheme in random partial-band noise jamming. C.-D. Chung p396
Soft decision decoding techniques for a class of runlength-limited error control codes. A. Popplewell and J.J. O'Reilly p118
Two-centre tree topologies for metropolitan area networks. O.W.W. Yang p280

MODULATION

Adaptive predistortion lineariser using polynomial functions. M. Ghaderi, S. Kumar and D.E. Dodds p49
Analytic and numeric modelling of optical fibre PPM slot and frame spectral properties with application to timing extraction. J.M.H. Elmirghani and R.A. Cryan p379
Bandwidth tradeoffs among coding, processing gain and modulation in frequency-hopped multiple access communications. S.W. Kim, Y.H. Lee and S.M. Kim p63
Coded modulation based on rings of integers modulo-q. Part 1: Block codes. R. Baldini F and P.G. Farrell p129
Coded modulation based on rings of integers modulo-q. Part 2: Convolutional codes. R. Baldini F and P.G. Farrell p137
Concatenated codes using multilevel structures for PSK signalling over the Rayleigh fading channel. H.G. Jardak and J.N. Livingston p233
Improvement of noncoherent orthogonal coding by time overlapping. D. Raphaeli p309
MLSE differential phase detection for M-ary DPSK. F. Adachi p407
Optimum modulation and diversity for DS–SS communication over Rayleigh fading channels subject to pulse burst interference. A.A. Ali p237
Performance analysis for a convolutionally coded DPSK meteor-burst communication system. F. Xiong and M. Saoud p223
Performance of joint frequency phase modulation over Rayleigh fading channels. I. Ghareeb and A. Yongaçoğlu p241
Performance of joint trellis-coded quantisation/modulation with a Bayes receiver. J. Wu, P. Ho and V. Cuperman p13
Simplified error bound analysis for M-DPSK in fading channels with diversity reception. Y.C. Chow, J.P. McGeehan and A.R. Nix p341
Some new rotationally invariant TCM schemes for multidimensional M-PSK. G.M. Vitetta p143
Trellis coded Q^2PSK signals. Part 1: AWGN and nonlinear satellite channels. V. Acha and R.A. Carrasco p151
Trellis coded Q^2PSK signals. Part 2: Land mobile satellite fading channels. V. Acha and R.A. Carrasco p159

NETWORKS

Analysis of out-of-sequence problem and preventative schemes in parallel switch architecture for high-speed ATM network. Y.C. Jung, C.K. Un, S.M. Ryu and S.C. Lee p29
Connectivity properties of a random radio network. J. Ni and S.A.G. Chandler p289
Design and performance analysis of input–output buffering delta-based ATM switch with backpressure mechanism. R.Y. Awdeh and H.T. Mouftah p255
Design of a high performance nonblocking copy network for multicast ATM switching. X. Liu and H.T. Mouftah p317
Discrete queueing analysis of a star network. R. Fantacci p275
Fibre-based local area network with priority access. R. Mores and M.J. Morse p203
New hybrid MAC-layer protocol for real-time bus networks. V.D. Kapsalis, S.A. Koubias and H.C. Haralabidis p325
Priority mechanism for the DQDB network. A.E. Kamal and A. Bissonauth p98
Two-centre tree topologies for metropolitan area networks. O.W.W. Yang p280

NOISE AND INTERFERENCE

Optimum modulation and diversity for DS–SS communication over Rayleigh fading channels subject to pulse burst interference. A.A. Ali p237
Performance analysis of a slow FH/MFSK acquisition scheme in random partial-band noise jamming. C.-D. Chung p396

OPTICS

Analytic and numeric modelling of optical fibre PPM slot and frame spectral properties with application to timing extraction. J.M.H. Elmirghani and R.A. Cryan p379
Fibre-based local area network with priority access. R. Mores and M.J. Morse p203
Performance analysis and sequence designs of synchronous code-division multiple-access systems with multimedia services. G.-C. Yang and J.-Y. Jaw p371

RADIOCOMMUNICATION

Adaptive borrowing of ordered resources for the pan-European mobile communication (GSM) system. S.V. Marić, E. Alonso and G. Metivier p93
Adaptive two-stage maximum likelihood estimation for cellular radio. A.B. Sesay p39
Approximate analysis of a dynamic-channel-assignment scheme with handoffs. S.S. Kuek and W.C. Wong p89
Bandwidth tradeoffs among coding, processing gain and modulation in frequency-hopped multiple access communications. S.W. Kim, Y.H. Lee and S.M. Kim p63
Capacity of a cellular time division duplex CDMA system. G.J.R. Povey p351
Channel error profiles for DECT. P. Crespo, R. Mann Pelz and J. Cosmas p413
Concatenated codes using multilevel structures for PSK signalling over the Rayleigh fading channel. H.G. Jardak and J.N. Livingston p233
Connectivity properties of a random radio network. J. Ni and S.A.G. Chandler p289
Error performance for diversity DS-SSMA communications in fading channels. K.-T. Wu and S.-A. Tsaur p357

Frequency hopped spread spectrum multiple access over cellular dispersive fading channels. A.M.C. Correia and A.A. Albuquerque p79
Generalised likelihood-ratio detection of multiple-hop frequency-hopping signals. C.-D. Chung p70
MLSE differential phase detection for M-ary DPSK. F. Adachi p407
Optimum modulation and diversity for DS–SS communication over Rayleigh fading channels subject to pulse burst interference. A.A. Ali p237
Performance analysis for a convolutionally coded DPSK meteor-burst communication system. F. Xiong and M. Saoud p223
Performance analysis of a slow FH/MFSK acquisition scheme in random partial-band noise jamming. C.-D. Chung p396
Performance of joint frequency phase modulation over Rayleigh fading channels. I. Ghareeb and A. Yongaçoğlu p241
Performance of joint trellis-coded quantisation/modulation with a Bayes receiver. J. Wu, P. Ho and V. Cuperman p13
Simplified error bound analysis for M-DPSK in fading channels with diversity reception. Y.C. Chow, J.P. McGeehan and A.R. Nix p341
Some digital receivers for the GSM pan-European cellular communication system. G. Benelli, A. Fioravanti, A. Garzelli and P. Matteini p168
Trellis coded Q^2PSK signals. Part 1: AWGN and nonlinear satellite channels. V. Acha and R.A. Carrasco p151
Trellis coded Q^2PSK signals. Part 2: Land mobile satellite fading channels. V. Acha and R.A. Carrasco p159

RECEIVERS

Generalised likelihood-ratio detection of multiple-hop frequency-hopping signals. C.-D. Chung p70
Some digital receivers for the GSM pan-European cellular communication system. G. Benelli, A. Fioravanti, A. Garzelli and P. Matteini p168

SATELLITE LINKS AND SPACE COMMUNICATION

Alternative to NASA's concatenated coding system for the Galileo mission. E. Paaske p229
Further results on receivers for the nonlinear channel including pre- and post-nonlinearity filtering. V.K. Dubey and D.P. Taylor p334
Trellis coded Q^2PSK signals. Part 1: AWGN and nonlinear satellite channels. V. Acha and R.A. Carrasco p151
Trellis coded Q^2PSK signals. Part 2: Land mobile satellite fading channels. V. Acha and R.A. Carrasco p159

SIGNAL PROCESSING

Generalised likelihood-ratio detection of multiple-hop frequency-hopping signals. C.-D. Chung p70

SOUND BROADCASTING AND AUDIO

Trellis decoding technique for block RLL/ECC. G. Markarian and B. Honary p297

SWITCHES AND SWITCHING THEORY

Analysis of out-of-sequence problem and preventative schemes in parallel switch architecture for high-speed ATM network. Y.C. Jung, C.K. Un, S.M. Ryu and S.C. Lee p29
B-tree: a high performance fault-tolerant ATM switch. J.-J. Li and C.-M. Weng p20
Design and performance analysis of input–output buffering delta-based ATM switch with backpressure mechanism. R.Y. Awdeh and H.T. Mouftah p255
Design of a high performance nonblocking copy network for multicast ATM switching. X. Liu and H.T. Mouftah p317
Performance analysis of ATM switches using priority schemes. T.-Y. Huang and J.-L.C. Wu p248
Performance analysis of a multicast packet switch with capacity *m*. J.Y. Lee and C.K. Un p177
Performance analysis of the knockout switch with input buffers. J.-J. Suh and C.-H. Jun p183

VOICE COMMUNICATION

Transmission of compressed voice over integrated services frame relay networks: priority service and adaptive buildout delay. L. Dong, A.R. Kaye and S.A. Mahmoud p265